






























S. No.	Description of The Item	Corrigendum	Photograph (Indicative)	Qty.
1	WOODEN FURNITURE Wood Shesham Supplying and placing in position wooden place of worship in the lobby/reception area of with carving and frame wall hanging size approx 2ftx3ft as per the direction of Engineer-in-Charge	Depth of worship place= minimum 1 feet with Curving borders	Wood Meharb curving Frame Wall Hanging	1
2	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position Single Bed of size:-3ft x 6t 6inch x 1"4" high. Height of head board = 110cm from plinth, side board and foot board = 1ft. Thickness of hardwood = 40mm on side board and foot board to 90mm on head board and legs. With border carving and/or solid cubical frame as an optional, all as per the direction of Engineer-in-Charge	Thickness of Panel on head bord and foot board = minimum 25 mm with curving borders Leg solid wood thickness minimum should be 80x0mm		24
3	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Double Bed of size:-6 x 6.5"Ft .x 1"4ft high. Height of head board = 120cm from plinth, side board and foot board = 1ft 2inches. Thickness of hardwood = 40mm on side board and foot board to 90mm on head board and legs. .With border carving/solid cubical frame for optional.as per the direction of Engineer-in-Charge	Double bed size = 6 ft x 6 ft 6 inch. Thickness of Panel on Head board and foot board =40 mm with curving borders. Leg solid wood thickness minimum should be 80x80mm		7
4	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position Bedside table with storage of size:- 24inch x16inch x20inch High. Thickness of ply/wood of 25mm and panel on shutter, all as per the direction of Engineer - in - Charge. Note : Carving for VIP suite, other area as per design.	One drawer and one door cabinet to be provided.		38
5	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood one Seater Sofa made of hard wood with top cushion with heavy legs and carving as per enclosed sketch having minimum thickness of hard wood = 40mm, complete all as per the direction of Engineer-in-Charge	Size: L X W X H = 80cm x 60cm x 90 Cm Wood Thickness 25 mm & solid leg Frame : 40x80 mm with carving. Minimun cost of fabric cloth = Rs 500/meter		30
6	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Two seater Sofa made of hard wood with top cushion, heavy legs and carving as per enclosed sketch having minimum thickness of wood = 40mm, complete all as per the direction of Engineer-in-Charge	Size: L X W X H = 120cm x 60cm x 90 Cm Wood Thickness 25 mm & solid leg Frame : 40x80 mm with carving. Minimun cost of fabric coth = Rs 500/meter		6

7	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Three Seater Sofa hard wood with top cushion, heavy legs and carving as per enclosed sketch having minimum thickness of hard wood = 40mm, complete all as per the direction of Engineer-in-Charge	Size: L X W X H = 180cm x 60cm x 90 Cm Wood Thickness 25 mm & solid leg Frame : 40x80 mm with carving. Minimum cost of fabric coth = Rs 500/meter		3
8	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Dewan Sofa with carving and Cushion work (Left Facing & Right Facing according to the Drawings Room) made of hard wood having heavy legs as per enclosed sketch having minimum thickness of hard wood = 40mm, complete all as per the direction of Engineer-in- Charge	Minimum Length should be 198cm & 80 Cm Ht. Wood Thickness 25 mm & Leg Frame size = 40x80 mm		7
9	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Centre Tea/ Coffee Table 90x55 cmx 40cm with heavy legs and carving as per enclosed sketch having minimum thickness of top = 25mm, side frame =50mm with 8mm glass top. Side frame minimum height = 4inches, complete all as per the direction of Engineer-in-Charge	Carving on top required. Leg size minimum 60mm x 60mm		12
10	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Centre Tea/ Coffee Table 60x60 cmx40cm with heavy legs and carving as per enclosed sketch having minimum thickness of top = 25mm, side frame =50mm with 8mm glass top. Side frame height = 4inches.,complete all as per the direction of Engineer-in-Charge	Carving on top frame required. Leg size minimum60mm x 60mm		12
11	WOODEN FURNITURE W/c Shesham wood Seasoned & Treated Supplying and placing in position hard wood carving Side Table with glass top of 8mmhaving heavy legs and carving as per enclosed sketch having minimum thickness of top = 25mm, side frame =50mm thick and 4inches high., complete all as per the direction of Engineer-in-Charge	Leg Frame size = minimum 70x70 mm		4
12	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood carving Chair without Cushion of standard dimension. Thickness of wood on top =20 to 25mm and legs minimum =50mm, complete all as per the direction of Engineer-in-Charge	Seat size : 18"x18" minimum , if variation in any design then should be approved before placing the order. Minimum back height require is 90 Cm.	 HA-6096	40

13	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Chairs with Cushion & carving Thickness of wood on top =20 to 25mm and legs minimum =50mm, complete all as per the direction of Engineer-in-Charge	Seat size : 18"x18" minimum , if variation in any design then should be approved before placing the order. Minimum back height require is 90 Cm. Minimum cost of fabric coth = Rs 500/meter		20
14	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Study Chair with Cushion. Thickness of wood on top =20 to 25mm and legs minimum =50mm, complete all as per the direction of Engineer-in-Charge	Seat size : 18"x18" minimum , if variation in any design then should be approve before placing the order. Minimum back height require is 90 Cm.		34
15	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Arm Chair with cushion and carving. Thickness of wood on top =20 to 25mm and legs minimum =50mm, complete all as per the direction of Engineer-in-Charge	Seat size : 18"x18" minimum , if variation in any design then should be approved before placing the order. Minimum height require is 90 Cm for back. Minimum cost of fabric coth = Rs 500/meter	Curving Chair w/ Arm	30
16	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Chair for reception with carving. Thickness of wood on top =20 to 25mm and legs minimum =50mm, complete all as per the direction of Engineer-in-Charge	Seat size : 18"x18" minimum , if variation in any design then should be approve before placing the order. Minimum height require is 90 Cm for back. With cushion, Minimum cost of fabric coth = Rs 500/meter		2
17	WOODEN FURNITURE Supplying and placing in position hard wood carving Arm Chair with Wheel & Carving work. Thickness of wood on top = 20 to 25mm and legs minimum =50mm, complete all as per the direction of Engineer-in-Charge	Seat size : 21"x22" minimum , if variation in any design then should be approved before placing the order. Minimum height require is 100 Cm for back		2
18	WOODEN FURNITURE Supplying and placing in position Matress of size : - 6" x 6-1/2" Ft. - 5.5" thickness. Standard Quality Cotton Quilt Fabric on top 3 MM thickness embosed with Inside top 45MM Super Soft Foam 32 Density with Foam Bounded 70 MM thickness approx. and Down 23 MM Foam 40 Density & approved colour Matress Cushion for Beds, complete as per the direction of Engineer-in-Charge	Down 23mm foam of 40 density to be replaced by 21mm foam of 40 density. Sample of Cotton Quilt fabric to be approved before execution of work.		7
19	WOODEN FURNITURE Supplying and placing in position Matress of size :- 3" x 6-1/2" Ft. - 5.5" thickness. Standard Quality Cotton Quilt Fabric on top 3 MM thickness embosed with Inside top 45MM Super Soft Foam 32 Density with Foam Bounded 70 MM thickness approx. and Down 23 MM Foam 40 Density & approved colour Matress Cushion for Beds, complete as per the direction of Engineer-in-Charge	Down 23mm foam of 40 density to be replaced by 21mm foam of 40 density. Sample of Cotton Quilt fabric to be approved before execution of work.		24

20	WOODEN FURNITURE Supplying and placing in position Wooden Fridge Cabinet with Tray on top in VIP and Delux type room. Thickness of wood/ply minimum = 25mm. Approx Size =2.0ftx2.5ftx2.5ft, complete all as per the direction of Engineer-in- Charge	As per Details		7
21	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood carving Plasma TV Stand with one Drawer & one Shelf of Size:- 48"x 16" x 30 " inches. Minimum thickness of wood on top with frame = 50mm with Heavy legs, complete all as per the direction of Engineer-in-Charge	Size:- 48"(L)x 16" (W)x 30"(H) inches		2
22	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood carving legs Luggage Table with Side 2 Almira and Mirror. Minimum thickness of wood/ply=20mm, complete all as per the direction of Engineer-in-Charge.	Size: - 36"(L)x24"(W)x24" Ht.		5
23	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood carving legs Luggage Table . Size: - 93"x31"x24" Ht. Minimum thickness of wood/ply=20mm, complete all as per the direction of Engineer-in-Charge.	Size: - 93"(L)x31"(W)x24" Ht.		2
24	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position Wooden Dinning Table (4 seater). Standard dimension with top wood Size: 100x100x75Cm Ht. & thickness = 25mm, complet all as per the direction of Engineer-in-Charge	Leg Frame size= minimum 80 mm thickness. And top thickness 25 mm. Chair Seat size : minimum 18"x18". And Minimum back height require is 90 Cm.		2
25	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Dinning Table(8 seater) with carving legs.Standard dimension with top wood Size: 240x100x75Cm Ht. & thickness = 25mm, complete all as per the direction of Engineer-in- Charge	Leg Frame size =minimum 120 mm thickness. And top thickness 25 mm. Chair Seat size : minimum 18"x18". And Minimum back height require is 90 Cm.		2
26	WOODEN FURNITURE WOODEN CARVING Shesham wood Seasoned & Treated Supplying and placing in position hard wood Dinning Table(6 seater) with carving. Standard dimension with top wood Size: 180x90x75Cm Ht. & thickness=25mm, complete all as per the direction of Engineer-in-Charge	Leg Frame size: minimum 90 mm thickness. And top thickness 25 mm. Chair Seat size : minimum 18"x18". And Minimum back height require is 90 Cm.		6
27	WOODEN FURNITURE Supplying and placing in position Wooden Conference Table Size:- 5ftx2ftx2ft 5inch. Top wood/ply thicknes =40mm, Teak Border with round moulding 40mm thickness., complete all as per the direction of Engineer-in-Charge	As per Details		8

28	WOODEN FURNITURE WOODEN CARVING Teak Frame & Panel Design Supplying and placing in position Wooden Study & TV Table with 2 Door panelled and carving & one Cabinet Size:-101"x21"x32" ht. (Approx). Thickness of wood/ply=20mm, complete all as per the direction of Engineer-in-Charge	As per Details		12
29	WOODEN FURNITURE WOODEN CARVING Teak Frame & Panel Design Supplying and placing in position Wooden Study & TV Table with 2 Door & one Cabinet paneled and carving Size:-113"x21"x32" ht. Thickness of wood/ply=20mm, complete all as per the direction of Engineer-in-Charge	As per Details		5
30	WOODEN FURNITURE WOODEN CARVING Shesham wood Supplying and placing in position hard wood carving Serving Table (Plain) - 4"x2" Ft x 2ft. Thickness of wood=25mm, complete all as per the direction of Engineer-in-Charge	As per Details		4
31	WOODEN FURNITURE WOODEN CARVING Shesham Wood Seasoned & Treated Supplying and placing in position hard wood Telephone Table With one Drawer Size:- 15x12"x 1ft 8inches. Thickness of wood=19mm, complete all as per the direction of Engineer-in-Charge	As per Details		12
32	WOODEN FURNITURE Supplying and placing in position Wooden With panel carving and Almiraha with 2 Door & 2 Storage box on top (till top for Storage) Size: 6"9" x 9" Ft. Height . Thickness of ply =25mm, teak border frame =3inches(75mmx12mm)., complete as per the direction of Engineer-in-Charge	Storage size = 6ft 9inch(L) x 2ft (D) x 9ft (H)		17
33	WOODEN FURNITURE Supplying and placing in position Wooden W/c Almiraha with 4 Door & 4 Storage box on top Size:- 10" 8"Ft. x 9 Ft. Helight , till top for Storage .Thickness of ply =25mm, teak border frame = 3 inches (75mmx12mm) , complete as per the direction of Engineer-in-Charge	Storage size = 10ft 8inch(L) x 2ft (D) x 9ft (H)		2
34	WOODEN FURNITURE Supplying and placing in position Wooden with carving Main Reception Counter with carving 5 Drawer & 2 File Cabinet Almiraha Size:-107"x18" / 24"x30" / 45" Ht. Thickness of wood/ply = 40mm with teack border and panel carving, complete all as per the direction of Engineer- in-Charge	Table size = 107"(L)x18" (W) x 30"(H), Top of counter above table= 107"(L) x 12"(W) x 45" High. Side counter table = 24"(L)x18"(W)x30"(H).		1
35	WOODEN FURNITURE WOODEN CARVING Shesham wood Supplying and placing in position as per drawing on Wall mounted Mirror Size: 30" x 48" Mirror Thickness 5 MM .Mirror Wood Frame Thickness 18 MM . complete all as per the direction of Engineer- in-Charge	As per Details		17

36	WOODEN FURNITURE WOODEN CARVING Shesham wood Curving for Vip Rooms Supplying and placing in position as per drawing on Wall mounted Mirror Size: 93"x36" Ht. Approx. Mirror Thickness 5 MM Mirror Wood Frame Thickness 18 MM . complete all as per the direction of Engineer-in-Charge	As per Details		2
37	WOODEN FURNITURE WOODEN CARVING Shesham Wood Seasoned & Trated Supplying and placing in position hard wood Side Key Almiraha of size 3ft x4 ft with Glass Door. Wood Frame with carving on border for Reception decoration, complete all as per the direction of Engineer-in-Charge	Depth of key Almirah = 5inch, Number of Keys = 40nos		1
38	WOODEN FURNITURE Quarters: Block C: Supplying and placing in position Almirah/wardrobe Size :- 65" x 22" x 78" Ht. Thickness of wood/ply =25mm. teak border frame =3inches (75mmx12mm) , complet all as per the direction of Engineer-in-Charge	As per Details		4
39	WOODEN FURNITURE Quarters : Block D + E Supplying and placing in position Wooden Almiraha Size :- 48" x 21" x 78" Ht. Thickness of wood/ply =25mm. teak border frame =3inches(75mmx12mm), complete all as per the direction of Engineer-in- Charge	As per Details		22
40	WOODEN FURNITURE WOODEN CARVING Shesham Frame & Italian Moulding Frame (Details for same as per size will be mention in final quotation with details of size and prices for clarification . Supplying and placing in position Frames , Prints & Paintings as per local ethnic, complete all as per the direction of Engineer-in-Charge at Reception , FF Passage , GF Passage , SF Passage , Vip Rooms , Rooms , Vip Dinning & Dinning. Etc complete all as per directions of Engineer-in-Charge	Following size of frame with prints & paintings: i) 6ft x 9ft - 6nos ii) 5ftx7ft-8nos, ii) 3ft x 2ft-36nos, iii)1.5ft x 2ft-12nos, iv) 3ft x 5ft -5nos		67